



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- BR51 AS4 & AS3 WALL BRACKET

PRODUCT FEATURES

- Higher powered
- Ideal for the grilling and gratinating of a range of food types
- 1/1 gastronorm compatible for convenience in use
- Smooth action and easy-lift grill hood
- The height markings and audible timer ensures consistent results every time
- Chromed toasting rack included
- Removable fat collection tray is included to make cleaning easier

Fast and convenient, the Silverlink 600 Electric Adjustable Salamander allows you to alter the height of the unit so that you can grill and toast your way. The Salamander, which comes with added power, is 1/1 gastronorm compatible and features a smooth action and easy-lift grill hood. Great for cafes, pubs and restaurants, the Salamander is designed to plug in and play, which means you'll be creating mouthwatering meals in no time. It comes with a chromed toasting rack and removable fat collection tray for easy cleaning.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	472 mil
Height	500 mil
Weight	45 kg

SHIPPING DETAILS

Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	102.3 cm
Ship Weight	49.5 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Total Amperage	19.6 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	230V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	4500 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	4.5 kW	Dedicated Circuit Required	Yes
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Gastronorm Capacity	1 x GN1/1
Broiler Type	Salamander	Heat Location	Top Only
Construction Materials	Stainless Steel	Heat Source Type	Infrared
Control Type	Mechanical, Rotary Control Knob	Number of Heating Zones	1
Cooking Area Plate Depth	340 mm	Number of Shelf Positions	not_applicable
Cooking Area Plate Width	532 mm	Ventless Cooking Technology	No

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

