



CiBO+ HIGH SPEED OVEN - GREEN

MODEL: CIBOPLUS/G



Are you tired of sacrificing food quality for the sake of speed? CiBO+ has revolutionised the high speed oven market with its unique, patented tri-heat technology, cooking in seconds, not minutes without compromise on the quality of food delivered. Ventless, compact and plugging into a standard 13 amp socket, CiBO+ is designed to be used virtually anywhere, generating additional revenue within a 395mm x 665mm footprint.

AIA FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- OC01 Sparkle Cleaner
- OS01 Protect Barrier
- TFS05 Teflon Sheet
- CIBO/TT Teflon Basket
- LTH01 Paddle Hanger
- LT02 Paddle
- NSBT23 Non Stick Baking Tray
- CIBO/ET 4 Egg Tray
- SH136 Wire Rack
- CIBOPLUS/USB USB Stick
- SK05 Mobile Stacking Stand

PRODUCT FEATURES

- CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- Achieve the same high quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.
- 395mm x 665mm compact footprint with a generous sized oven. CiBO+ can fit anywhere yet still deliver a 12" pizza.
- No installation required - plug- in and cook.
- Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touch points
- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.

ITEM NUMBER:



CIBO+ HIGH SPEED OVEN - GREEN

MODEL: CIBOPLUS/G

WEIGHTS & DIMENSIONS

Width	395 mil
Depth	728 mil
Height	640 mil
Weight	52 kg

SHIPPING DETAILS

Ship Width	50 cm
Ship Depth	84 cm
Ship Height	87.5 cm
Ship Weight	65 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	13 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	3000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	3 kW	Electrical Remarks	Single
Electrical Phase	1-Phase		

ADDITIONAL SPECIFICATIONS

Bottom Cooking Chamber Cooking Method	Neo Ceram Heated Base	Microwave Power	1000 W
Control Type	Electronic, Touchscreen	Middle Cooking Chamber Cooking Method	Microwave
Cooking Area Plate Depth	340 mil	Oven Power Rating	2 kW
Cooking Area Plate Width	340 mil	Oven Size (volume)	23 l
Cooking Chamber Depth	340 mm	Oven Temperature Maximum	280 °C
Cooking Chamber Height	195 mm	Oven Temperature Minimum	30 °C
Cooking Chamber Width	340 mm	Pizza Sizes Accommodated	1 x 12"
Gastronorm Capacity	1 x GN2/3	Temperature Maximum	280 °C
Heated Base	Yes	Temperature Minimum	30 °C
		Top Cooking Chamber Cooking Method	Convection

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024





BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

