



## CiBO+ HIGH SPEED OVEN - RED

# MODEL: CIBOPLUS/R



Are you tired of sacrificing food quality for the sake of speed? CiBO+ has revolutionised the high speed oven market with its unique, patented tri-heat technology, cooking in seconds, not minutes without compromise on the quality of food delivered. Ventless, compact and plugging into a standard 13 amp socket, CiBO+ is designed to be used virtually anywhere, generating additional revenue within a 395mm x 665mm footprint.

AIA FILE NUMBER:

### PRODUCT OPTIONS AND ACCESSORIES

- OC01 Sparkle Cleaner
- OS01 Protect Barrier
- TFS05 Teflon Sheet
- CIBO/TT Teflon Basket
- LTH01 Paddle Hanger
- LT02 Paddle
- NSBT23 Non Stick Baking Tray
- CIBO/ET 4 Egg Tray
- SH136 Wire Rack
- CIBOPLUS/USB USB Stick
- SK05 Mobile Stacking Stand

### PRODUCT FEATURES

- CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- Achieve the same high quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.
- 395mm x 665mm compact footprint with a generous sized oven. CiBO+ can fit anywhere yet still deliver a 12" pizza.
- No installation required - plug- in and cook.
- Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touch points
- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.

ITEM NUMBER:



CiBO+ HIGH SPEED OVEN - RED

# MODEL: CIBOPLUS/R

## WEIGHTS & DIMENSIONS

Width	395 mil
Depth	728 mil
Height	640 mil
Weight	52 kg

## SHIPPING DETAILS

Ship Width	50 cm
Ship Depth	84 cm
Ship Height	87.5 cm
Ship Weight	65 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

## PRODUCT CERTIFICATIONS



## ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	13 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	3000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	3 kW	Electrical Remarks	Single
Electrical Phase	1-Phase		

## ADDITIONAL SPECIFICATIONS

Bottom Cooking Chamber Cooking Method	Neo Ceram Heated Base	Microwave Power	1000 W
Control Type	Electronic, Touchscreen	Middle Cooking Chamber Cooking Method	Microwave
Cooking Area Plate Depth	340 mil	Oven Power Rating	2 kW
Cooking Area Plate Width	340 mil	Oven Size (volume)	23 l
Cooking Chamber Depth	340 mm	Oven Temperature Maximum	280 °C
Cooking Chamber Height	195 mm	Oven Temperature Minimum	30 °C
Cooking Chamber Width	340 mm	Pizza Sizes Accommodated	1 x 12"
Gastronorm Capacity	1 x GN2/3	Temperature Maximum	280 °C
Heated Base	Yes	Temperature Minimum	30 °C
		Top Cooking Chamber Cooking Method	Convection

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
October 30, 2024





# MODEL: CIBOPLUS/R

## BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

## TECHNICAL DRAWING

