

IMC VULTURE 904X FLOOR-MOUNTED FOOD WASTE DISPOSER - 1 PHASE - W 438 MM - 1.1 KW

MODEL: F54/500



PRODUCT FEATURES

- Fast and efficient disposal of up to 500kg of food waste per hour.
- Handles up to 1000 covers per sitting ideal for large kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Free-standing design, but can be welded into tabling with E30/095 hopper rim.
- Manually reversible motor to extend operational life.
- Low-load cut-outs ensure energy and water efficiency.
- Suitable for large kitchens with single-phase power supply.

Fast and efficient, the 904X Waste Disposer is able to dispose of 500kg of food waste per hour and handles up to 1000 covers per sitting, making it ideal for larger hotels, hospitals, universities, prisons and food preparation companies.

An advanced version of the 904 model, the 904X is able to switch itself off to save energy and has an automatic rinse function, to prevent nasty odours.

It is suitable for medium waste - plate waste, vegetables and peelings, meat and fish scraps, and small bones. The free-standing unit can be welded into tabling with a E30/095 hopper rim, for quick loading. AIA FILE NUMBER:







IMC VULTURE 904X FLOOR-MOUNTED FOOD WASTE DISPOSER - 1 PHASE - W 438 MM - 1.1 KW

MODEL: F54/500

WEIGHTS & DIMENSIONS

Width	438 mil
Depth	564 mil
Height	800 mil
Weight	51.5 kg

SHIPPING DETAILS	
Ship Width	63 cm
Ship Depth	48 cm
Ship Height	104 cm
Ship Weight	56.65 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	7.4 A
Electrical Volts	230V
Electrical Total Wattage	1100 W
Electrical Kilowatts	1.1 kW
Electrical Phase	1-Phase
Electrical Plug Type	Hardwired

Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Single
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Airbreak	No
Control Type	0n/0ff
Meal Waste Servings Processed Per Sitting	1000
Motor Power	1.5 hp
Operator Safety Method	Interlock
Self-Cleaning Capable	No
Waste Processing Capacity Per Hour: Weight	500 kg
Waste Types Processed	Medium (small pork/chicken bones, vegetables and fruit)

Document Auto-Generated July 02, 2024

without incurring obligation. Dimensions nominal.

IMC reserves the right to modify specifications or discontinue models






IMC VULTURE 904X FLOOR-MOUNTED FOOD WASTE DISPOSER - 1 PHASE - W 438 MM - 1.1 KW


MODEL: F54/500

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING





imc

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated July 02, 2024

www.lincat.co.uk/brands/imc | p: +44 1522 875500

Whisby Road, Lincoln, LN6 3QZ, UK