



IP COMPACTOR

PRODUCT FEATURES

- Cuts waste volumes by up to 80% and lowers waste handling and collection costs
- Compresses all dry waste - cardboard, tins, plastic and paper
- Powerful electro-hydraulic technology enables waste to be compacted in seconds
- Compact, easy-to-move unit can be conveniently located where waste is produced
- Manufactured from stainless steel making it tough, reliable and easy to clean
- UK 3 pin plug allows users to simply plug in and switch on

With a 240-litre equivalent uncrushed capacity, the Impactor IP700 allows operators to cut waste volumes by up to 80%. It saves on staff time, reduces collection costs, improves hygiene standards and minimises space needed for waste storage.

The IP700 is suitable for a wide variety of operations, from small hotels and restaurants to large schools, hospitals, shops, factories and ships. From cardboard and tins, to plastic and paper, it compacts waste in seconds using powerful electro-hydraulic technology.

The unit is compact, easy to use and mounted on

A/A FILE NUMBER:

ITEM NUMBER:



WEIGHTS & DIMENSIONS

| | |
|--------|----------|
| Width | 840 mil |
| Depth | 858 mil |
| Height | 1930 mil |
| Weight | 259 kg |

SHIPPING DETAILS

| | |
|----------------------------|-------------------------|
| Ship Width | 96 cm |
| Ship Depth | 101 cm |
| Ship Height | 210 cm |
| Ship Weight | 284.9 kg |
| Number of Shipment Parcels | 1 |
| Ship Method | LTL Common Carrier |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | | | |
|---------------------------|---------------|--------------------------------------|---------------|
| Primary Energy Type | Electric | Number of Electrical Plugs | 1 |
| Electrical Total Amperage | 5 A | Electrical Connection Type | Cord and Plug |
| Electrical Volts | 230V | Number of Electrical Conductor Wires | 1 |
| Electrical Total Wattage | 750 W | Dedicated Circuit Required | No |
| Electrical Kilowatts | 0.75 kW | Electrical Remarks | Single |
| Electrical Phase | 1-Phase | Energy Saving | No |
| Electrical Plug Type | UK 3-Pin Plug | | |

ADDITIONAL SPECIFICATIONS

| | |
|-------------------------------|---------------------------------------|
| Capacity Volume | 240 l |
| Control Type | On/Off, Rotary Control Knob |
| Equivalent Uncrushed Material | 1200 l |
| Operator Safety Method | Interlock |
| Self-Cleaning Capable | No |
| Waste Compaction Ratio | 80 % |
| Waste Types Processed | Dry (cardboard, tins, plastic, paper) |

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

