



IMC VULTURE 723 UNDER-SINK FOOD WASTE DISPOSER - FITS 89 MM SINK OPENING - 3 PHASE [4 WIRE] - 1.1 KW

MODEL: F60/310



Fast and efficient, the 723 Waste Disposer enables medium-sized kitchens to remove waste quickly and simply. It is able to dispose of 200kg of food waste per hour and handles up to 400 covers per sitting, making it ideal for hotels, schools and hospitals.

The 723 Waste Disposer is suitable for medium waste - small pork and chicken bones, vegetables and fruit. Its compact design allows mounting under a sink (with a 90mm opening) making it quick and easy to load, saving staff time and labour.

The 723 Waste Disposer is easy to clean, enabling

PRODUCT FEATURES

- Fast and efficient disposal of up to 200kg of food waste per hour.
- Handles up to 400 covers per sitting - ideal for small to medium kitchens.
- For medium waste (small pork and chicken bones, vegetables and fruit).
- Fits 90mm sink openings
- Compact design and under-sink mounting, for quick and easy loading.
- Manually reversible motor to extend operational life.
- Suitable for medium kitchens with three-phase, four-wire power supply.

AIA FILE NUMBER:

ITEM NUMBER:



IMC VULTURE 723 UNDER-SINK FOOD WASTE DISPOSER - FITS 89 MM SINK OPENING - 3 PHASE [4 WIRE] - 1.1 KW

MODEL: F60/310

WEIGHTS & DIMENSIONS

Width	218 mil
Depth	304 mil
Height	573 mil
Weight	30 kg

SHIPPING DETAILS

Ship Width	41 cm
Ship Depth	78 cm
Ship Height	52 cm
Ship Weight	35 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	Not Applicable
Electrical Total Amperage	2.8 A	Electrical Connection Type	Direct Hardwired
Electrical Volts	400V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	1100 W	Dedicated Circuit Required	Yes
Electrical Kilowatts	1.1 kW	Electrical Remarks	Three
Electrical Phase	3-Phase	Energy Saving	No
Electrical Plug Type	Hardwired		

ADDITIONAL SPECIFICATIONS

Control Type	On/Off
Meal Waste Servings Processed Per Sitting	400
Motor Power	1.5 hp
Operator Safety Method	Interlock
Self-Cleaning Capable	No
Waste Processing Capacity Per Hour: Weight	200 kg
Waste Types Processed	Medium (small pork/chicken bones, vegetables and fruit)

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024






IMC VULTURE 723 UNDER-SINK FOOD WASTE DISPOSER - FITS 89 MM SINK OPENING - 3 PHASE [4 WIRE] - 1.1 KW

MODEL: F60/310

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024