



**IMC VULTURE 826 FREE-STANDING FOOD WASTE DISPOSER - 3  
PHASE [5 WIRE] [AIR BREAK] - W 430 MM - 2.2 KW**

**MODEL: F68/327**



**Vulture**

**PRODUCT FEATURES**

- Fast and efficient disposal of up to 600kg of food waste per hour.
- Handles up to 1350 covers per sitting - ideal for large kitchens.
- For tough waste (red meat bones, cauliflower stalks and fish skins).
- Compact, free-standing design, for quick and easy loading.
- Manually reversible motor to extend operational life.
- With class A airbreak kit - recommended when connecting to a mains water supply.
- Suitable for large kitchens with three-phase, five-wire power supply.

Fast and efficient, the 826 Waste Disposer with airbreak enables large kitchens to remove waste quickly and simply. It is able to dispose of 600kg of food waste per hour and handles up to 1350 covers per sitting, making it ideal for larger hotels, hospitals, universities, prisons and food preparation companies.

The 826 Waste Disposer is suitable for tough waste - red meat bones, cauliflower stalks and fish skins. Its compact, free-standing design makes it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 826 Waste Disposer is easy to clean and also features

AIA FILE NUMBER:

ITEM NUMBER:



# IMC VULTURE 826 FREE-STANDING FOOD WASTE DISPOSER - 3 PHASE [5 WIRE] [AIR BREAK] - W 430 MM - 2.2 KW

## MODEL: F68/327

### WEIGHTS & DIMENSIONS

Width	430 mil
Depth	600 mil
Height	980 mil
Weight	64.5 kg

### SHIPPING DETAILS

Ship Width	63 cm
Ship Depth	48 cm
Ship Height	104 cm
Ship Weight	70.95 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	Not Applicable
Electrical Total Amperage	5.3 A	Electrical Connection Type	Direct Hardwired
Electrical Volts	400V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	2200 W	Dedicated Circuit Required	Yes
Electrical Kilowatts	2.2 kW	Electrical Remarks	Three
Electrical Phase	3-Phase	Energy Saving	No
Electrical Plug Type	Hardwired		

### ADDITIONAL SPECIFICATIONS

Airbreak	Yes
Control Type	On/Off
Meal Waste Servings Processed Per Sitting	1350
Motor Power	3 hp
Operator Safety Method	Interlock
Self-Cleaning Capable	No
Waste Processing Capacity Per Hour: Weight	600 kg
Waste Types Processed	Tough (all red meat bones, cauliflower stalks, fish skins)

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024






**IMC VULTURE 826 FREE-STANDING FOOD WASTE DISPOSER - 3  
PHASE [5 WIRE] [AIR BREAK] - W 430 MM - 2.2 KW**

**MODEL: F68/327**

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024