



IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - FULL FRONT  
GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM -  
R290

**MODEL: F76/273**



Ventus

Designed and manufactured with the highest attention to detail, the sophisticated Ventus V90 bottle cooler is the perfect fit for commercial bars, delivering optimum performance, long-term reliability and minimal operating costs. The V90 provides flexible storage of up to 156 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet blends seamlessly into any bar setting. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull

AIA FILE NUMBER:

ITEM NUMBER:

#### PRODUCT FEATURES

- Full front door for seamless integration
- Reduced 450mm depth
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 156 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on



# IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM -

## MODEL: F76/273

### WEIGHTS & DIMENSIONS

Width	900 mil
Depth	450 mil
Height	900 mil
Weight	84 kg

### SHIPPING DETAILS

Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	1.71 A	Electrical Connection Type	Cord and Plug
Electrical Volts	240V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	410 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.41 kW	Electrical Remarks	Single
Electrical Phase	1-Phase	Energy Saving	Yes
Electrical Plug Type	UK 3-Pin Plug		

### ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Legs or Casters	Not Applicable
Capacity: Bottles	156	Number of Shelf Positions	29
Capacity Volume	204 l	Number of Shelves	2
Control Type	Digital Touch Pad, Electronic	Refrigerant Type	R-290
Defrost Method	Automatic	Temperature Maximum	6 °C
Insulated	Yes	Temperature Minimum	2 °C
		Type of Lighting	LED

### BIDDING SPECIFICATIONS

Bidding Specifications Not Available.








IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - FULL FRONT  
GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM -

**MODEL: F76/273**

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024

