



**IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - FULL FRONT  
GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM  
- R290**

**MODEL: F76/372**



**Ventus**

**PRODUCT OPTIONS AND ACCESSORIES**

- A12/099 Wire Shelf - Chrome - for M135 Bottle Cooler

Designed and manufactured with the highest attention to detail, the sophisticated Ventus V135 bottle cooler is the perfect fit for commercial bars, delivering optimum performance, long-term reliability and minimal operating costs.

The V135 provides flexible storage of up to 185 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet and full front door blend seamlessly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect

**PRODUCT FEATURES**

- Full front door for seamless integration
- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 185 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Double glazed doors for enhanced insulation
- UK 3 pin plug allows users to simply plug in and switch on

A/A FILE NUMBER:

ITEM NUMBER:





# IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM

## MODEL: F76/372

### WEIGHTS & DIMENSIONS

Width	1350 mil
Depth	500 mil
Height	800 mil
Weight	109 kg

### SHIPPING DETAILS

Ship Width	142 cm
Ship Depth	58 cm
Ship Height	106 cm
Ship Weight	128 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	2.77 A	Electrical Connection Type	Cord and Plug
Electrical Volts	240V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	664 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.664 kW	Electrical Remarks	Single
Electrical Phase	1-Phase	Energy Saving	Yes
Electrical Plug Type	UK 3-Pin Plug		

### ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Number of Shelf Positions	29
Capacity: Bottles	185	Number of Shelves	2
Capacity Volume	269 l	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Temperature Maximum	6 °C
Defrost Method	Automatic	Temperature Minimum	2 °C
Insulated	Yes	Type of Lighting	LED

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024








IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM

MODEL: F76/372

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024