



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 600 MM - 0.437 KW**

**MODEL: F77/114/SS**



**Mistral**

The stylish Mistral M60 High Ambient bottle cooler is ideal for commercial bars, delivering optimum performance in ambient temperatures of up to 43°C, along with long-term reliability and low operating costs.

High performance insulation maintains temperature inside the unit, whilst ultra-low “U” value glass and trace-heated doors protect from external heat. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. An energy-efficient forced air cooling system delivers rapid temperature pull down, to meet demand in the busiest of bars.

**PRODUCT OPTIONS AND ACCESSORIES**

- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler
- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

**PRODUCT FEATURES**

- Stylish storage of up to 135 bottles in ambient conditions of up to 43°C
- Electronic temperature controller and auto defrost for perfectly-chilled drinks
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Single solid lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

A/A FILE NUMBER:

ITEM NUMBER:



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM -**

**MODEL: F77/114/SS**

**WEIGHTS & DIMENSIONS**

Width	600 mil
Depth	500 mil
Height	900 mil
Weight	59.5 kg

**SHIPPING DETAILS**

Ship Width	68 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	65.45 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	1.9 A	Electrical Connection Type	Cord and Plug
Electrical Volts	240V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	219 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.219 kW	Electrical Remarks	Single
Electrical Phase	1-Phase	Energy Saving	No
Electrical Plug Type	UK 3-Pin Plug		

**ADDITIONAL SPECIFICATIONS**

Application Type	Undercounter	Number of Shelf Positions	29
Capacity: Bottles	135	Number of Shelves	2
Capacity Volume	133 l	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Temperature Maximum	6 °C
Defrost Method	Automatic	Temperature Minimum	2 °C
Insulated	Yes	Type of Lighting	LED

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024






IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM -

MODEL: F77/114/SS

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
July 02, 2024