



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 600 MM - 0.225 KW**

MODEL: F77/150



Mistral

PRODUCT OPTIONS AND ACCESSORIES

- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

Designed and manufactured to the highest specification, the stylish Mistral M60 bottle cooler is ideal for commercial bars, delivering optimum performance, long-term reliability and low operating costs.

The M60 provides easy storage of up to 120 (330ml) bottles. The polished stainless steel interior enhances display, whilst the stainless steel exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-

PRODUCT FEATURES

- Stylish, flexible storage for up to 120 bottles
- Electronic temperature controller and auto defrost for perfectly-chilled drinks
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

A/A FILE NUMBER:

ITEM NUMBER:



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 600 MM - 0.225 KW**

MODEL: F77/150

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	500 mil
Height	900 mil
Weight	59.5 kg

SHIPPING DETAILS

Ship Width	68 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	65.45 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	1.65 A	Electrical Connection Type	Cord and Plug
Electrical Volts	240V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	225 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.225 kW	Electrical Remarks	Single
Electrical Phase	1-Phase	Energy Saving	No
Electrical Plug Type	UK 3-Pin Plug		

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Number of Shelf Positions	29
Capacity: Bottles	120	Number of Shelves	2
Capacity Volume	133 l	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Temperature Maximum	6 °C
Defrost Method	Automatic	Temperature Minimum	2 °C
Insulated	Yes	Type of Lighting	LED

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024








IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 600 MM - 0.225 KW

MODEL: F77/150

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024