

# IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 600 MM - 0.225 KW

## MODEL: F77/150/B



lts ele an au

Mistral

Designed and manufactured to the highest specification, the stylish Mistral M60 bottle cooler is ideal for commercial bars, delivering optimum performance, long-term reliability and low operating costs.

The M60 provides easy storage of up to 120 (330ml) bottles. The polished stainless steel interior enhances display, whilst the black exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-

#### PRODUCT OPTIONS AND ACCESSORIES

A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

#### **PRODUCT FEATURES**

- Stylish, flexible storage for up to 120 bottles
- Electronic temperature controller and auto defrost for perfectlychilled drinks
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning







# IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 600 MM - 0.225 KW

# MODEL: F77/150/B

WEIGHTS & DIMENSIONS	
Width	600 mil
Depth	500 mil
Height	900 mil
Weight	59.5 kg

SHIPPING DETAILS	
Ship Width	68 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	65.45 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

## **PRODUCT CERTIFICATIONS**



ENERGY SPECS	
Primary Energy Type	Electric
Electrical Total Amperage	1.65 A
Electrical Volts	240V
Electrical Total Wattage	225 W
Electrical Kilowatts	0.225 kW
Electrical Phase	1-Phase
Electrical Plug Type	UK 3-Pin Plug

1
Cord and Plug
1
No
Single
No

Undercounter
120
133 l
Digital Touch Pad, Elec- tronic
Automatic
Yes

Number of Shelf Positions	29
Number of Shelves	2
Refrigerant Type	R-290
Temperature Maximum	6 °C
Temperature Minimum	2°C
Type of Lighting	LED

 $\mbox{IMC}$  reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated July 02, 2024





MODEL: F77/150/B


### **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

### **TECHNICAL DRAWING**







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated July 02, 2024

