



IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900 MM - 0.354 KW

MODEL: F77/233/SS



Mistral

The stylish Mistral M90 High Ambient bottle cooler is ideal for commercial bars, delivering optimum performance in ambient temperatures of up to 43°C along with long-term reliability and low operating costs.

High performance insulation maintains temperature inside the unit, whilst ultra-low “U” value glass and trace-heated doors protect from external heat. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-efficient forced air cooling system delivers rapid temperature pull down, to keep pace with demand in the busiest of bars. The M90 High

PRODUCT OPTIONS AND ACCESSORIES

- A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

PRODUCT FEATURES

- Stylish storage of up to 207 bottles in ambient conditions of up to 43°C
- Electronic temperature controller and auto defrost for perfectly-chilled drinks
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Solid lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

A/A FILE NUMBER:

ITEM NUMBER:



IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900

MODEL: F77/233/SS

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	500 mil
Height	900 mil
Weight	86 kg

SHIPPING DETAILS

Ship Width	97 cm
Ship Depth	57 cm
Ship Height	107 cm
Ship Weight	80.3 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	2.74 A	Electrical Connection Type	Cord and Plug
Electrical Volts	240V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	354 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.354 kW	Electrical Remarks	Single
Electrical Phase	1-Phase	Energy Saving	No
Electrical Plug Type	UK 3-Pin Plug		

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Number of Shelf Positions	29
Capacity: Bottles	204	Number of Shelves	2
Capacity Volume	214 l	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Temperature Maximum	6 °C
Defrost Method	Automatic	Temperature Minimum	2 °C
Insulated	Yes	Type of Lighting	LED

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024






IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900

MODEL: F77/233/SS

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024