

IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW

MODEL: F77/250



Mistral

PRODUCT OPTIONS AND ACCESSORIES

A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

Designed and manufactured to the highest specification, the stylish Mistral M90 bottle cooler is ideal for commercial bars, delivering optimum performance, long-term reliability and low operating costs.

The M90 provides easy storage of up to 195 (330ml) bottles. The polished stainless steel interior enhances display, whilst the stainless steel exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-

PRODUCT FEATURES

- Stylish, flexible storage for up to 195 bottles
- Electronic temperature controller and auto defrost for perfectlychilled drinks.
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior to enhance display
- Double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

AIA FILE NUMBER:







IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW

MODEL: F77/250

WEIGHTS & DIMENSIONS

| Width | 900 mil |
|--------|---------|
| Depth | 500 mil |
| Height | 900 mil |
| Weight | 73 kg |

| SHIPPING DETAILS | |
|----------------------------|-------------------------|
| Ship Width | 97 cm |
| Ship Depth | 57 cm |
| Ship Height | 107 cm |
| Ship Weight | 80.3 kg |
| Number of Shipment Parcels | 1 |
| Ship Method | LTL Common Carrier |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| Primary Energy Type | Electric |
|---------------------------|---------------|
| Electrical Total Amperage | 1.72 A |
| Electrical Volts | 240V |
| Electrical Total Wattage | 232 W |
| Electrical Kilowatts | 0.232 kW |
| Electrical Phase | 1-Phase |
| Electrical Plug Type | UK 3-Pin Plug |

| Number of Electrical Plugs | 1 |
|--------------------------------------|---------------|
| Electrical Connection Type | Cord and Plug |
| Number of Electrical Conductor Wires | 1 |
| Dedicated Circuit Required | No |
| Electrical Remarks | Single |
| Energy Saving | No |

ADDITIONAL SPECIFICATIONS

| Application Type | Undercounter |
|-------------------|------------------------------------|
| Capacity: Bottles | 195 |
| Capacity Volume | 2141 |
| Control Type | Digital Touch Pad, Elec- tronic |
| Defrost Method | Automatic |
| Insulated | Yes |

| Number of Shelf Positions | 29 |
|---------------------------|-------|
| Number of Shelves | 2 |
| Refrigerant Type | R-290 |
| Temperature Maximum | 6 °C |
| Temperature Minimum | 2 °C |
| Type of Lighting | LED |

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated July 02, 2024






IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW


MODEL: F77/250

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING





IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated July 02, 2024

www.lincat.co.uk/brands/imc | p:+44152

p:+44 1522 875500