



blu^o
KEEPING IT COOL

PRODUCT FEATURES

- Designed to accommodate heavy equipment, including Opus 800 Series chargrills, griddles and hobs
- Drawers hold 1/1 GN 100mm deep containers
- Allows bulk storage and easy access to food at point of cooking
- Ideal for meat and fish
- Adjustable thermostat -2° to + 8°C
- Self closing heavy duty drawers
- Supplied on castors as standard
- HACCP Compliant

Designed to accommodate heavy-duty Opus 800 series equipment such as chargrills, griddles and induction hobs, the unit has self-closing, heavy-duty drawers capable of holding 1/1 GN 100mm-deep containers, providing convenient bulk storage for meat and fish.

The Blu^o chef bases are powered by a three-pin plug, therefore requiring no installation. For ease of cleaning, the units have removable drawers, rounded interior corners and removable rubber magnetic door gaskets. They are supplied on castors, making it simple to pull the unit out for a deep clean. As with all Lincat products, the Blu^o chef bases come with a two-year warranty.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	838 mil
Depth	826 mil
Height	615 mil
Weight	125 kg

SHIPPING DETAILS

Ship Width	97 cm
Ship Depth	97 cm
Ship Height	75 cm
Ship Weight	137.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Electrical Connection Type	Cord and Plug
Electrical Amps	1.5	Electrical Plug Type	UK 3-Pin Plug
Electrical Voltage	230 volts	Number of Electrical Plugs	1
Electrical Watts	600	Dedicated Circuit Required	No
Electrical Phase	Single	European Energy Label	D
Kilowatts	600 kW	Annual Energy Consumption	982 kWh/Annum
Number of Electrical Conductor Wires	1	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Ambient Temperature Maximum	40 °C	Insulation Material Type	Cyclopentane
Application Type	Refrigerator	Lockable Door	No
Control Type	Electronic	Number of Drawers	2
Defrost Method	Automatic	Number of Pans	2
Door Hinge Type	Not Applicable	Pan Arrangement	Horizontal
Gastronorm Capacity	2 x GN1/1	Refrigerant Type	R-452A
Insulated	Yes	Temperature Maximum	8 °C
Insulation Material Thickness	60 mm	Temperature Minimum	-2 °C

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

