

LINCAT CONVECTOR MANUAL+ ELECTRIC COUNTER-TOP **CONVECTION OVEN - W 810 MM - D 850 MM - 4.8 KW**

MODEL: CO235M



The perfect addition to any commercial kitchen, the Manual+ CO235M provides the simplicity of mechanical temperature control, and the cooking benefits afforded by two-speed electronic fan control.

CONVECTOR

PRODUCT OPTIONS AND ACCESSORIES

- ACIK04 Water **Treatment Filter Kit**
- CO200/FS Lincat Convector Floor Stand
- CO200/LFSK Lincat Convector Floor Stand

PRODUCT FEATURES

- 3 x GN1/1 capacity
- Easy-to-use knob-driven control, and electronic fan control
- Mechanical temperature control from 60° to 260° C
- Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- Two fan speeds standard for general use and slow for delicate items
- 120 minute count down timer with electronically-controlled buzzer
- Oven lamps flash when cook cycle has finished see when your food is done even in the busiest kitchen







LINCAT CONVECTOR MANUAL+ ELECTRIC COUNTER-TOP CONVECTION OVEN - W 810 MM - D 850 MM - 4.8 KW

MODEL: CO235M

WEIGHTS & DIMENSIONS	
Width	810 mil
Depth	850 mil
Height	645 mil
Weight	80.6 kg

SHIPPING DETAILS	
Ship Width	88 cm
Ship Depth	100 cm
Ship Height	81.5 cm
Ship Weight	88.66 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS		
Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires
Electrical Amps	20.5	Electrical Connection Type
Electrical Voltage	230 volts	Electrical Plug Type
Electrical Watts	4800	Number of Electrical Plugs
Electrical Phase	Single	Dedicated Circuit Required
Kilowatts	4.8 kW	Energy Saving

ADDITIONAL SPECIFICATIONS			
Capacity Volume	96 l	Full-Size Or Half-Size	Half-Size
Control Type	Mechanical	Gastronorm Capacity	3 x GN1/1
Convection Oven Fan Type	Bi-Direction	Interior	Stainless Steel
Cooking Chamber Depth	470 mm	Number Of Cooking Chambers	1
Cooking Chamber Height	308 mm	Number of Pans	3
Cooking Chamber Width	690 mm	Number of Wire Racks	3
Cooking Rack Depth	425 mm	Sheet Pan Capacity	3 x 660 mm x 460 mm
Cooking Rack Width	660 mm	Standard Depth Or Bakery Depth	Bakery Depth
Door Construction	Single Door	Temperature Maximum	260 °C
Door Hinge Type	Bottom Hinge	Temperature Minimum	60 °C
Door Type	Stainless Steel With Viewing Glass	Type of Lighting	Halogen

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

Direct Hardwired
Hardwired
Not Applicable

Yes No







MODEL: CO235M


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

