

**MODEL: CO343T** 



The perfect addition to any commercial kitchen, the Touch CO343T with intuitive touch screen menu provides the wider functionality and greater control that only a touch screen can deliver.

LINCAT CONVECTOR ELECTRIC COUNTER-TOP CONVECTION OVEN

#### CONVECTOR

### PRODUCT OPTIONS AND ACCESSORIES

- CO300/FS Lincat Convector Floor Stand for CO343M/CO343T Convection Ovens - with 4 Runners - W 660 mm
- CO300/LFSK Lincat Convector Low Floor Stand and Stacking Kit for CO343M/CO343T Convection Ovens - with 1 Shelf - W 660 mm

### **PRODUCT FEATURES**

- 4 x GN1/1 capacity
- Touchscreen control with easy-to-use icon-driven menu selections
- Easy-view traffic light status see the status of the oven at a glance, even in the noisiest kitchens
- Space for 24 programs with up to four stages, which can be adjusted individually
- Up to four-stage phased cooking for perfect results set temperature, time and fan speed for each stage
- Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- Nine-hour on-screen timer, with electronic buzzer, and flashing oven lamps to indicate that cycle has finished
- · Side opening door
- Timer range 1 540 minutes
- Shelf spacing 85mm







# LINCAT CONVECTOR ELECTRIC COUNTER-TOP CONVECTION OVEN - W 660 MM - D 740 MM - 3.0 KW

**MODEL: CO343T** 

WEIGHTS & DIMENSIONS	
Width	660 mil
Depth	740 mil
Height	600 mil
Weight	68.7 kg

SHIPPING DETAILS	
Ship Width	88 cm
Ship Depth	100 cm
Ship Height	81.5 cm
Ship Weight	75.57 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

## **PRODUCT CERTIFICATIONS**



lectricity	Number of Electrical Co
13	Electrical Connection Ty
230 volts	Electrical Plug Type
3000	Number of Electrical Plu
Single	Dedicated Circuit Requi
3 kW	Energy Saving
	13 230 volts 3000 Single

Number of Electrical Conductor Wires	1
Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Dedicated Circuit Required	Yes
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Capacity Volume	72 I
Control Type	Electronic
Convection Oven Fan Type	Bi-Direction
Cooking Chamber Depth	550 mm
Cooking Chamber Height	398 mm
Cooking Chamber Width	330 mm
Cooking Rack Depth	325 mm
Cooking Rack Width	530 mm
Door Construction	Single Door
Door Hinge Type	Left Hang Hinge
Door Type	Stainless Steel With Viewing Glass

Full-Size Or Half-Size	Half-Size
Gastronorm Capacity	4 x GN1/1
Interior	Stainless Steel
Number Of Cooking Chambers	1
Number of Pans	4
Number of Wire Racks	4
Sheet Pan Capacity	4 x 460mm x 330mm
Standard Depth Or Bakery Depth	Bakery Depth
Temperature Maximum	260 °C
Temperature Minimum	60 °C
Type of Lighting	Halogen

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







**MODEL: CO343T** 


## **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

## **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

