



PRODUCT OPTIONS AND ACCESSORIES

- BR56 EB6FX WALL BRACKET
- EBHF01 Lincat EB Hands Free Tap Adaptor

Supplied with a UK 3 pin plug, the large 22-litre capacity EB3FX/TALL delivers a rapid draw off of 17 litres of high-quality filtered water from a narrow 250mm footprint, saving valuable counter space without compromising capacity or performance. Providing hot water on tap 24/7, the boiler also comes with a filtration system built-in to improve water quality. You can modify the settings via the clever colour touchscreen display, while the boiler is designed to save energy via its eco mode which learns usage patterns and switches to 50% volume.

PRODUCT FEATURES

- For high volume requirements, with rapid draw off of 17 litres
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Narrow 250 mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- UK 3 pin plug
- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit



LINCAT FILTERFLOW COUNTER-TOP AUTOMATIC FILL TALL WATER BOILER - 17 LITRES - 3.0 KW

MODEL: EB3FX/TALL

WEIGHTS & DIMENSIONS

Width	250 mil
Depth	525 mil
Height	685 mil
Weight	16 kg

SHIPPING DETAILS

Ship Width	78.5 cm
Ship Depth	36.6 cm
Ship Height	53 cm
Ship Weight	17.6 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	13	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	3000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	3 kW	Energy Saving	Yes

ADDITIONAL SPECIFICATIONS

Capacity Volume	22 l	Internal Filter	Yes
Control Type	Electronic	Rapid Draw Off Hot	17 l
Dispense Actuation Method	Lever	Rapid Draw Off Hot Cups	85 C
Drip Pan	Yes	Temperature Maximum	98 °C
Hourly Hot Water Output	31 l	Temperature Minimum	70 °C
Hourly Number of Hot Cups	155		

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

