

Prepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Display Bar. Holding food at 3°C-7°C in ambient conditions up to 25°C, its low profile enables it to hold 100 mm gastronorm containers.



**SEAL**

**PRODUCT OPTIONS AND ACCESSORIES**

- BSG8 BACK SERVE GL. FDB8
- DBWB FDB WALL BRACKET
- DBL8 S/S LID FOR FDB8

**PRODUCT FEATURES**

- The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- Holds food at 3°C-7°C in ambient conditions up to 25°C
- The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- Fully welded stainless steel construction — which gives the unit a stylish look but also means that it's hygienic and easy to clean
- Optional back service glass; self-service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids
- Its low profile enables it to hold 100 mm gastronorm containers

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT SEAL COUNTER-TOP FOOD DISPLAY BAR - REFRIGERATED  
- W 1753 MM - 0.175 KW

**MODEL: FDB8**

**WEIGHTS & DIMENSIONS**

|        |          |
|--------|----------|
| Width  | 1753 mil |
| Depth  | 377 mil  |
| Height | 245 mil  |
| Weight | 29 kg    |

**SHIPPING DETAILS**

|                            |                         |
|----------------------------|-------------------------|
| Ship Width                 | 185.5 cm                |
| Ship Depth                 | 56 cm                   |
| Ship Height                | 40 cm                   |
| Ship Weight                | 31.9 kg                 |
| Number of Shipment Parcels | 1                       |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |
| Returnable Item            | No                      |

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

|                            |             |                                      |               |
|----------------------------|-------------|--------------------------------------|---------------|
| Primary Energy Source Type | Electricity | Number of Electrical Conductor Wires | 1             |
| Electrical Amps            | 0.8         | Electrical Connection Type           | Cord and Plug |
| Electrical Voltage         | 230 volts   | Electrical Plug Type                 | UK 3-Pin Plug |
| Electrical Watts           | 175         | Number of Electrical Plugs           | 1             |
| Electrical Phase           | Single      | Dedicated Circuit Required           | No            |
| Kilowatts                  | 0.175 kW    | Energy Saving                        | No            |

**ADDITIONAL SPECIFICATIONS**

|                     |            |
|---------------------|------------|
| Control Type        | Electronic |
| Gastronorm Capacity | 8 x GN1/3  |

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.



**TECHNICAL DRAWING**

