



SEAL

PRODUCT OPTIONS AND ACCESSORIES

- PSH40 Upright Pizza Shelf Insert for Lincat Seal HAD40

PRODUCT FEATURES

- Maintains the ideal food holding temperature of 60°C-80°C, ideal for all sorts of pre-cooked hot foods, including pizzas, pies and sausage rolls
- Compact 400 mm wide design for where counter space is at a premium
- Food is displayed on four 'easy to remove' tilted shelves within the two compartments
- Hot air curtain at the front minimises heat loss
- Electronic temperature control to within +/-1°C
- Secondary safety limit thermostat
- Stainless steel point of sale holders
- Lighting providing a bright interior with user replaceable light bulb
- Easy clean stainless steel interior and exterior
- Toughened glass sides and front deflectors

The perfect way to display hot food and generate grab & go sales. The convected hot air system ensures food is not only safe but also kept in prime condition, at just the right temperature.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	400 mil
Depth	585 mil
Height	845 mil

SHIPPING DETAILS

Ship Width	62 cm
Ship Depth	72 cm
Ship Height	121 cm
Ship Weight	49 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	9.6	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2200	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2.2 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Digital Touch Pad	Number of Shelves	2
Display Case Front Design Style	Open Front	Rack Type	Static
Display Case Service Type	Back of House Service, Customer Self Service, Front of House Service	Shelf Depth	350 mm
Display Case Type	Heated	Shelf Width	185 mm
Heated Base	Yes	Temperature Maximum	80 °C
Lighted	Yes	Temperature Minimum	60 °C
		Type of Lighting	Halogen

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

