



PRODUCT OPTIONS AND ACCESSORIES

- OS2 OMELETTE SPACER - FOR LCG, LCG2, LPG, LPG2, LRG, LRG2

Heat food rapidly and seal in all the juices and flavour with the compact 2.25kW Lynx 400 Electric Contact Grill. Ideal for paninis and toasted sandwiches, burgers and even omelettes, the grill heats from above and below, reducing cooking times. Designed to plug and play, you'll be producing delicious paninis and toasted sandwiches in no time. The smooth enamelled cast iron plates give excellent heat retention and are easy to clean, while there's also a thermostatic control for accurate, repeatable results. Perfect for cafes and pubs serving toasted sandwiches and light meals.

PRODUCT FEATURES

- Compact model with smooth plates - ideal where space is limited
- Fast heat up from cold
- Enamelled cast iron plates give excellent heat retention and are easy to clean
- 1 kW element in upper plate and 1.25 kW in lower plate gives balanced cooking - no need to turn food
- Thermostatic control for accurate repeatable results
- Ideal for fast cooking of meat products
- Well balanced, smooth action mechanism with positive "park" position for safe and easy operation
- Plug and play for an easy installation

WEIGHTS & DIMENSIONS

Width	293 mil
Depth	400 mil
Height	182 mil
Weight	19.4 kg

SHIPPING DETAILS

Ship Width	59 cm
Ship Depth	40 cm
Ship Height	38 cm
Ship Weight	21.34 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	9.8	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2250	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2.25 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Rotary Control Knob
Lower Platen Surface Type (multi-select)	Iron, Smooth
Panini Top Type	Single Top
Timer Type	Mechanical/Traditional Timer
Upper Platen Surface Type (multi-select)	Iron, Smooth

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

