

## LINCAT OPUS DUAL FUEL [NATURAL GAS] FREE-STANDING OVEN RANGE - 4 BURNERS - W 600 MM - 30.0 KW

### MODEL: OD8006/N



The first thing that strikes you about this Opus 800 dual fuel oven is its power. It benefits from the best of both the focused, instant heat from the mighty dual concentric gas burners, and the even cooking of the electric oven. Built to withstand the rigours of even the busiest kitchen, the large 3 x GN1/1 capacity oven is up to the task of delivering high volumes of top quality food, and even enables six different foods to be cooked simultaneously. So whether you're cooking in a restaurant, a large pub, or a school canteen, the dual fuel oven has you covered. Strong and sturdy and built to last, the oven also comes with individual heavy-duty single cast iron supports.

Opus 800

#### PRODUCT OPTIONS AND ACCESSORIES

- LK06 OPUS 800 LEG KIT
- OA8984 SPLASHBACK/SHELF OD8006

#### **PRODUCT FEATURES**

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- · Powerful 4kW fan assisted oven for even cooking results
- Large 3 x GN1/1 capacity oven enabling three different foods to be cooked simultaneously







### LINCAT OPUS DUAL FUEL [NATURAL GAS] FREE-STANDING OVEN RANGE - 4 BURNERS - W 600 MM - 30.0 KW

## MODEL: OD8006/N

| WEIGHTS & DIMENSIONS |         |  |  |  |
|----------------------|---------|--|--|--|
| Width                | 600 mil |  |  |  |
| Depth                | 800 mil |  |  |  |
| Height               | 912 mil |  |  |  |
| Weight               | 155 kg  |  |  |  |

| SHIPPING DETAILS           |                         |
|----------------------------|-------------------------|
| Ship Width                 | 70 cm                   |
| Ship Depth                 | 85 cm                   |
| Ship Height                | 105 cm                  |
| Ship Weight                | 170.5 kg                |
| Number of Shipment Parcels | 1                       |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |
| Returnable Item            | No                      |

#### **PRODUCT CERTIFICATIONS**



| ENERGY SPECS                         |  |
|--------------------------------------|--|
| Primary Energy Source Type           | Gas  |
| Electrical Amps                      | Single Phase 17.5/Three<br>Phase L1=8.7; L2=8.7;<br>L3=N/A |
| Electrical Voltage                   | 230 volts/400 volts  |
| Electrical Watts                     | 4032   |
| Electrical Phase                     | Single, Three  |
| Kilowatts                            | 30 kW  |
| Number of Electrical Conductor Wires | 1  |
| Electrical Connection Type           | Direct Hardwired   |
| Electrical Plug Type                 | Hardwired  |

| Number of Electrical Plugs          | Not Applicable                |
|-------------------------------------|-------------------------------|
| Dedicated Circuit Required          | Yes                           |
| Gas Type                            | Natural Gas                   |
| Gas Inlet Size                      | 0.5 in                        |
| Gas Inlet Pressure Required         | 20 mBar                       |
| Gas Total BTUs                      | 102364 BTU                    |
| Gas Consumption at Max Use Per Hour | 2.86 m <sup>3</sup>           |
| Total Heat Input at Max Use         | 30 kW, 102364 BTU per<br>hour |
| Energy Saving                       | No                            |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





# LINCAT OPUS DUAL FUEL [NATURAL GAS] FREE-STANDING OVEN RANGE - 4 BURNERS - W 600 MM - 30.0 KW

## MODEL: OD8006/N

| ADDITIONAL SPECIFICATIONS          |                 |                          |        |
|------------------------------------|-----------------|--------------------------|--------|
| Control Type Mechanical            |                 | Open or Sealed Burners   | Sealed |
| Cooking Plate Finish Material Type | Stainless Steel | Oven Power Rating        | 4 kW   |
| Exterior Finish Color              | Stainless Steel | Oven Temperature Maximum | 250 °C |
| Exterior Trim Finish Color         | Stainless Steel | Oven Temperature Minimum | 120 °C |
| Gastronorm Capacity                | 3 x GN1/1       | Restaurant or Heavy Duty | Yes    |
| High Altitude Kit Available        | No              | Shelf Depth              | 530 mm |
| Number of Heating Zones            | 4               | Shelf Width              | 510 mm |
| Number of Hot Top Burners          | 4               | Watts Per Element        | 7500   |
| Number of Shelf Positions          | 5               | Cooking Equipment        | Hob 1  |
| Number of Shelves                  | 3               | BTUs Per Burner          | 7.5 KW |

| SELECT COOKING EQUIPMENT NU | MBER OF | POWER RATING | ARRANGE-<br>MENT | WIDTH  | DEPTH  |
|-----------------------------|---------|--------------|------------------|--------|--------|
| Sealed Burner 1             | 4       |              | Center           | 300 mm | 300 mm |

| SELECT BASE EQUIPMENT | NUMBER OF |   | CUBIC CAPACITY EACH | WIDTH  | DEPTH  | HEIGHT |
|-----------------------|-----------|---|---------------------|--------|--------|--------|
| Standard Oven 1       |           | 1 |                     | 525 mm | 530 mm | 410 in |

#### **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated January 23, 2024







## MODEL: OD8006/N

#### **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

