



*Opus* 800

#### PRODUCT OPTIONS AND ACCESSORIES

- FI41 AIR FILTER - IH21, IH3
- LK06 OPUS 800 LEG KIT

#### PRODUCT FEATURES

- Powerful 5kW, 260mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Powerful 4kW fan assisted oven for even cooking results
- Large 3 x GN1/1 capacity oven enabling three different foods to be cooked simultaneously

Embrace the energy efficient power of the Opus 800 Induction Range. Delivering 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%, ventilation and air conditioning costs can also be reduced with the innovative induction process, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed and not wasting it into the kitchen. The powerful fan assisted oven ensures even cooking results, while its large 3 x GN1/1 capacity enables three different foods to be cooked simultaneously. Built to last, the oven features multiple internal cooling fans and overheat protection.

### WEIGHTS & DIMENSIONS

Width	900 mil
Depth	800 mil
Height	900 mil
Weight	140 kg

### SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	104 cm
Ship Weight	154 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	L1=34.8; L2=34.8; L3=34.8	Electrical Connection Type	Direct Hardwired
Electrical Voltage	400 volts	Electrical Plug Type	Hardwired
Electrical Watts	24000	Number of Electrical Plugs	Not Applicable
Electrical Phase	Three	Dedicated Circuit Required	Yes
Kilowatts	24 kW	Energy Saving	Yes

### ADDITIONAL SPECIFICATIONS

Control Type	Rotary Control Knob	Open or Sealed Burners	Not Applicable
Cooking Plate Finish Material Type	Ceran Glass	Oven Power Rating	4 kW
Exterior Finish Color	Stainless Steel	Oven Temperature Maximum	250 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Minimum	130 °C
Gastronorm Capacity	2 x GN1/1	Shelf Depth	510 mm
Heat Source Type	Induction	Shelf Width	480 mm
High Altitude Kit Available	No	Temperature Maximum	250 °C
Number of Heating Zones	4	Temperature Minimum	130 °C
Number of Hot Top Burners	4	Watts Per Element	5000
Number of Induction Burners	4	Cooking Equipment	Hob 1
Number of Shelf Positions	4	BTUs Per Burner	5 KW
Number of Shelves	2		



LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN  
RANGE - W 900 MM - 24.0 KW

**MODEL: OE8017**

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1	4	5	Center	260 mm	260 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1	1		525 mm	510 mm	420 mm

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.



### TECHNICAL DRAWING

