



### Opus 800

#### PRODUCT OPTIONS AND ACCESSORIES

- OA8917/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8917 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm
- OA8972/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm
- OA8972 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm

#### PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top

Perfect for large pubs and restaurants, school canteens, care homes and hospitals, the Opus 800 Gas 4 x Boiling Top comes with individual heavy-duty single cast iron supports, which are built to withstand the rigours of the busiest kitchen. With powerful 7.5kW dual concentric burners designed for focused heat distribution from a fast boil to a low simmer, you'll be cooking fabulous dishes in no time at all. The Boiling Top also features a low flue to allow use of the complete hob top.

A/A FILE NUMBER:

ITEM NUMBER:



# LINCAT OPUS PROPANE GAS COUNTER-TOP BOILING TOP - W 600 MM - 27.2 KW

## MODEL: OG8003/P

### WEIGHTS & DIMENSIONS

Width	600 mm
Depth	800 mm
Height	412 mm
Weight	51 kg

### SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	800 cm
Ship Height	64 cm
Ship Weight	56.1 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Source Type	Gas	Gas Inlet Size	0.5 in
Kilowatts	27.2 kW	Gas Inlet Pressure Required	37 mBar
Electrical Connection Type	Not Applicable	Gas Total BTUs	91445 BTU
Electrical Plug Type	Not Applicable	Gas Consumption at Max Use Per Hour	1.92 m <sup>3</sup>
Number of Electrical Plugs	Not Applicable	Total Heat Input at Max Use	26.8 kW, 91445 BTU per hour
Dedicated Circuit Required	No	Energy Saving	No
Gas Type	Propane		

### ADDITIONAL SPECIFICATIONS

Control Type	Mechanical	Number of Shelves	Not Applicable
Cooking Plate Finish Material Type	Stainless Steel	Open or Sealed Burners	Sealed
Exterior Finish Color	Stainless Steel	Safety Features	
Exterior Trim Finish Color	Stainless Steel	Watts Per Element	7500
High Altitude Kit Available	No	Cooking Equipment	Sealed Burner
Number of Heating Zones	4	BTUs Per Burner	7.5 KW
Number of Hot Top Burners	4		

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE-MENT	WIDTH	DEPTH
Sealed Burner 1	4		Center	300 mm	300 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
January 23, 2024



LINCAT OPUS PROPANE GAS COUNTER-TOP BOILING TOP - W 600  
MM - 27.2 KW

**MODEL: OG8003/P**

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

**BIDDING SPECIFICATIONS**  
Bidding Specifications Not Available.



TECHNICAL DRAWING

