



Perfect for large pubs and restaurants, school canteens, care homes and hospitals, the Opus 800 Gas 2 x Boiling Top comes with individual heavyduty single cast iron supports, which are built to withstand the rigours of the busiest kitchen. With powerful 7.5kW dual concentric burners designed for focused heat distribution from a fast boil to a low simmer, you'll be cooking fabulous dishes in no time at all. The Boiling Top also features a low flue to allow use of the complete hob top.

#### PRODUCT OPTIONS AND ACCESSORIES

- OA8934 Lincat Opus 800 Free-standing Floor Stand with Legs
- OA8970 Lincat Opus 800 Free-standing Pedestal with Doors and Legs

#### **PRODUCT FEATURES**

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Gas Boiling Tops









WEIGHTS & DIMENSIONS	
Width	300 mm
Depth	800 mm
Height	412 mm
Weight	31 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	64 cm
Ship Weight	34.1 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

### **PRODUCT CERTIFICATIONS**



ENERGY SPECS		
Primary Energy Source Type	Gas	Gas Ir
Kilowatts	7.5 kW	Gas Ir
Electrical Connection Type	Not Applicable	Gas T
Electrical Plug Type	Not Applicable	Gas C
Number of Electrical Plugs	Not Applicable	Total
Dedicated Circuit Required	No	TOLAT
Gas Type	Natural Gas	Energ

Gas Inlet Size	0.5 in
Gas Inlet Pressure Required	20 mBar
Gas Total BTUs	51180 BTU
Gas Consumption at Max Use Per Hour	1.35 m <sup>3</sup>
Total Heat Input at Max Use	15 kW, 51182 BTU per hour
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Control Type	Mechanical, Rotary Control Knob
Cooking Plate Finish Material Type	Cast Iron Plate
Exterior Finish Color	Stainless Steel
Exterior Trim Finish Color	Stainless Steel
High Altitude Kit Available	No
Legs or Casters	Not Applicable
Number of Heating Zones	2

Number of Hot Top Burners	2
Number of Shelves	Not Applicable
Open or Sealed Burners	Sealed
Safety Features	
Watts Per Element	7500
Cooking Equipment	Sealed Burner
BTUs Per Burner	7.5 KW

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		2		Center	300 mm	300 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item						
BIDDING SPECIFICATIONS						

Bidding Specifications Not Available.





**Lincat** 


Document Auto-Generated



### **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024