lincat

LINCAT PANTHER SUPERPASS SERIES FREE-STANDING HOT CUPBOARD - BAIN MARIE TOP - W 2400 MM - 16.52 KW

MODEL: P10SP6PT



PANTHER

PRODUCT FEATURES

- For high output, demanding environments this incredibly versatile pass offers multiple hot holding and cooking functions in one mobile unit. The pass includes a Carter Hoffmann Crisp 'N Hold for holding chips and breaded products such as chicken nuggets, 2 x 1/1GN bain marie for hot holding sauces, soups, gravy and precooked foods and 2 x water tanks, suitable for boiling vegetables, pasta etc.
- Three tier heated gantries
- Pass through hot cupboard
- Fully 1/1GN compatible hot cupboard accommodating 6 1/1 gastronorms
- Thermostatically controlled bain marie
- Accurate digital electronic control of water tanks
- Individual drain tap for each water tank at the rear
- · Castors as standard

Offering unrivalled versatility, the Panther Super Pass Hot Cupboard is built for high demanding environments, with multiple hot holding and cooking functions in one mobile unit. The Super Pass includes a Carter Hoffmann Crisp 'N Hold for holding chips and breaded products such as chicken nuggets, 2 x 1/1GN bain marie for hot holding sauces, soups, gravy and precooked foods and 2 x water tanks, suitable for boiling vegetables and pasta. With three tier heated gantries, the Super Pass is fully 1/1GN compatible accommodating 6 1/1 gastronorms and comes with a thermostatically controlled bain marie. It's ideal for restaurants, hospitals or schools. AIA FILE NUMBER:





lincat

LINCAT PANTHER SUPERPASS SERIES FREE-STANDING HOT CUPBOARD - BAIN MARIE TOP - W 2400 MM - 16.52 KW

MODEL: P10SP6PT

WEIGHTS & DIMENSIONS

Width	2273 mil
Depth	1000 mil
Height	1908 mil
Weight	250 kg

SHIPPING DETAILS	
Ship Width	250 cm
Ship Depth	110 cm
Ship Height	200 cm
Ship Weight	275 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity
Electrical Amps	L1=23.9; L2=23.9; L3=23.9
Electrical Voltage	400 volts
Electrical Watts	16520
Electrical Phase	Three
Kilowatts	16.52 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Dedicated Circuit Required	Yes
Energy Saving	No

ADDITIONAL SPECIFICATIONS Cart Style Plated Meals and Pans Digital Touch Pad, Elec-**Control Type** tronic **Gastronorm Capacity** 6 x GN1/1 Heating System Electric Legs or Casters Casters Number of Doors

Number of Shelf Positions	1
Number of Shelves	11
Plate Capacity	556
Plate Diameter	11.25" to 12.75"
Shelf Depth	690 mm
Shelf Width	1938 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



4

Whisby Road, Lincoln, LN6 3QZ, UK


p: +44 1522 875500 www.lincat.co.uk





LINCAT PANTHER SUPERPASS SERIES FREE-STANDING HOT CUPBOARD - BAIN MARIE TOP - W 2400 MM - 16.52 KW

MODEL: P10SP6PT

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



Whisby Road, Lincoln, LN6 3QZ, UK