



Where you need power in a small footprint, the PHEH01 induction hob can deliver. The energy efficient induction process delivers 90% efficiency compared to a typical gas hob. With twin cooking zones for high output, and a boost function when more power is required, the induction hob will get you cooking fast.

PRODUCT FEATURES

- Great when you need power in a small footprint
- Compact sleek design
- Two cooking zones for high output
- High efficiency delivers almost twice the cooking power of a similarly rated gas hob
- Functional and attractive profile, perfect for front of house theatrestyle cooking
- When you need intense heat to get you cooking fast, zones can be boosted to 3kW for up to 10 minutes. Power to other zones will drop during the boost period
- Easy to clean, heavy duty 6mm thick high impact resistant glass







WEIGHTS & DIMENSIONS	
Width	350 mil
Depth	705 mil
Height	146 mil
Weight	12 kg

SHIPPING DETAILS	
Ship Width	0 cm
Ship Depth	0 cm
Ship Height	0 cm
Ship Weight	0 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS		
Primary Energy Source Type	Electricity	Nu
Electrical Amps	16	Ele
Electrical Voltage	230 volts	Ele
Electrical Watts	3700	Nu
Electrical Phase	Single	De
Kilowatts	3.7 kW	En

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Dedicated Circuit Required	Yes
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS	
Control Type	Electronic
Cooking Plate Finish Material Type	Ceran Glass
Exterior Finish Color	Stainless Steel
Exterior Trim Finish Color	Stainless Steel
High Altitude Kit Available	No
Number of Heating Zones	2

Number of Hot Top Burners	2
Number of Shelves	Not Applicable
Open or Sealed Burners	Not Applicable
Restaurant or Heavy Duty	Yes
Style	Countertop
Watts Per Element	1850

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING		ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		2	1.85	Center	190 mm	190 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







SELECT BASE EQUIPMENT NUMBER OF CUBIC CAPACITY EACH WIDTH DEPTH HEIGHT

Not Applicable For This Item


BIDDING SPECIFICATIONS


Bidding Specifications Not Available.






TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

